

CONTENTS

15 AIR SYSTEMS

Compressor Selection Guide _____	17
Building an Efficient Air System _____	18
Air Compressors & Dryers _____	19
Nitrogen Tire Filling Systems _____	32
Air Preparation Products _____	34
Air Hoses, Hose Reels & Hose Products _____	38
Air Line Couplers, Plugs & Accessories _____	44

53 AIR TOOLS

Impact Wrenches (CP) _____	57
Sanders & Air Ratchets (CP) _____	62
Buffers, Grinders, Drills & Accessories (CP) _____	64
RPG Air Tools _____	68
Milwaukee Air Tools _____	74
Air Tool Lubricants & Conditioner _____	78
Impact Wrenches (IR) _____	79
Grinders, Buffers, Sanders & Drills (IR) _____	84
Air Tool Accessories _____	87
Work Stations _____	88

89 WHEEL SERVICE PRODUCTS

Impact Sockets _____	90
Wheel Torque Products _____	96
Loose Nut Prevention _____	106
Wheel Centering Products _____	110
Lug Nut Removal Products _____	112
Wheel Attaching Hardware _____	118
Tire & Wheel Service Tools _____	124
Stud & Hub Cleaning Tools _____	128



TABLE OF CONTENTS // WHAT'S INSIDE THE BUYER'S GUIDE

CONTENTS (cont.)

131 LIFTING EQUIPMENT

Portable Bottle Jacks _____	133
Service Jacks _____	140
Jack Stands _____	155
Specialty Jacks _____	160
Transmission Jacks _____	163
Wheel Dollies _____	167
Vehicle Stands & Accessories _____	174
Hydraulic Shop Presses _____	175
Shop Cranes _____	177
Brake Drum Handlers _____	179

181 TIRE & WHEEL SERVICE

Tire Lubricants & Sealants _____	184
Markers _____	191
Tire Branders _____	192
Bead Breakers _____	194
Hydraulic Pumps, Hydraulic Rams _____	200
OTR Service Tools _____	204
Cribbing Sets & Wheel Chocks _____	206
Bead Seating Devices _____	208
Chloride Pumps _____	216
Mount/Demount Tools _____	218
Small Mount/Demount Tools _____	223
Lock Ring Tools _____	224
Heavy Duty Hammers _____	225
General Purpose Hammers & Wedges _____	226
Replacement Handles _____	227
Wrenches & Lug Wrenches _____	228
Shop Service Tools _____	232
Automatic Tire Inflation Systems _____	235
Safety Inflation Cages _____	237

243 VALVE HARDWARE

TPMS Best Practices _____	247
TPMS Relearn Chart _____	248
TPMS Sensor Activation Tools _____	249
TPMS Accessories & Kits _____	260
TPMS Tools _____	268
EZ-Sensor & REDI-Sensor TPMS Transmitters _____	273
Schrader TPMS Transmitters _____	274
Dill TPMS Transmitters _____	276
HUF Intellisens Universal Sensors & Aftermarket TPMS Accessory Kits _____	278
TPMS Retrofit Kits, TPMS Systems _____	279
Smart Sensor Pro+ _____	280
Training & Promotional Materials _____	282
Dill TPMS Cabinets _____	284
Tubeless Tire Valves (Passenger) _____	285
Tubeless Tire Valves (Truck) _____	286
Truck & Specialty Valves _____	287
Valve Caps, Cores & Extensions _____	292
Special Application Products _____	295
Air/Liquid/Agricultural Valves _____	296
Large Bore Valves _____	298
Large Bore Extensions _____	305
Z-Bore Valve System _____	306
PT Valve System _____	307
Valve Hardware Tools _____	308
Tire Gauges _____	311
Dill USA Gauges _____	318
Dill USA Chucks _____	319
Air Chucks _____	320
Inflator Gauges _____	323



CONTENTS (cont.)

331 SERVICE EQUIPMENT

The Coats® X-Series _____	333
The Coats® RC-Series _____	335
Coats® Tire Changers _____	336
CEMB Tire Changers _____	337
Corgi Tire Changers _____	338
Tire Changer Accessories _____	342
Coats® Heavy Duty Tire Changers _____	345
Heavy Duty Tire Changer Accessories _____	348
CEMB Heavy Duty Tire Changers _____	349
Corgi Heavy Duty Tire Changers _____	350
Coats® Direct Drive Wheel Balancers _____	352
Coats® Wheel Balancers _____	354
CEMB Digital Wheel Balancers _____	357
Corgi Wheel Balancers _____	359
Wheel Balancer Accessories _____	362
Brake Lathes _____	372
Brake Lathe Accessories & Adapters _____	375
Tool Bits/Carbide Inserts _____	378
Challenger Lifts _____	379
Rubber Blocks & Lift Pads _____	386
Rolling Jacks & Work Stations _____	387

389 WHEEL BALANCING SUPPLIES

Passenger Car Wheel Weights _____	392
Truck Wheel Weights _____	398
Adhesive Wheel Weights _____	402
Wheel Weight Displays _____	409
Wheel Weight Tools _____	411
Tire Balancing Compounds _____	414

423 ALIGNMENT

Alignment Tool Assortment Sets _____	424
Camber/Caster Tools _____	425
Heavy Duty Alignment _____	437
Automotive Alignment Equipment _____	444

447 AUTO & FLEET SERVICE EQUIPMENT

Battery Chargers & Testers _____	448
Service Equipment _____	452
Lubricants & Sealants _____	454
Exhaust Hoses & Tailpipe Adapters _____	456
Bench Grinders & Shop Vises _____	457
Pliers & Screwdrivers _____	459
Shop Cleaners & Brushes _____	460
Shop Lights & Service Stickers _____	462
Tire Displays, Racks & Carts _____	464
Interior Protection Products _____	469
Stud Guns & Studding Equipment _____	472
Fluid Pumps _____	473
Drains & Pumps _____	475
Oil Accessories _____	482
Safety Products _____	484
Wheel Chocks _____	487
Rubber Blocks & Lift Pads _____	488
Mechanic's Gloves _____	489



TABLE OF CONTENTS // WHAT'S INSIDE THE BUYER'S GUIDE

CONTENTS (cont.)

491 FLUID EXCHANGE

Recovery & Recycling Systems _____ 492
 FX Series Refrigerant Management Systems _____ 494
 Fluid Exchangers & Flushers _____ 495
 Fluid Exchange Accessories _____ 496

497 TIRE REPAIR MATERIALS

Tire Repair Cabinets & Kits _____ 499
 Cements, Sealants & Patches _____ 500
 Thermopress & Extruders _____ 532
 Monaflex Tire Repair System _____ 534
 Air Buffers & Drills _____ 535
 Tire Repair Tools & Accessories _____ 537
 Tire Spreaders & Repair Stations _____ 557
 Repair Cabinet _____ 564

565 RETREADING

Rasp Blades & Spacers _____ 566
 Retread Accessories _____ 573
 Retread Consumables _____ 578
 Tire Appearance _____ 579
 Envelopes _____ 581
 Retread Related Items _____ 584

**MEASUREMENT
 CONVERSION CHART _____ 585**

ALPHABETICAL INDEX _____ 586

NUMERICAL INDEX _____ 602

ASCOT SUPPLY CORP. IS NOT RESPONSIBLE FOR INADVERTENT TYPOGRAPHICAL ERRORS OR OMISSIONS.

- Tire and Rim Servicing can be dangerous, and should be done by trained personnel using proper tools and procedures. The Occupational Safety and Health Administration has a safety standard for the servicing of single-piece and multi-piece rim wheels (OSHA std 29 CFR 1910.177) to include requirements for the safe servicing of rims used on passenger, truck, trailers, buses and off-road vehicle equipment. Properly trained personnel should perform all tire servicing. Failure to comply with these procedures as well as procedures recommended by Tire Manufacturers and Wheel and Rim Manufacturers may result in faulty positioning of the tire and or rim and may cause the assembly to burst with explosive force sufficient to cause serious physical injury or death.
- The sole intent of this catalog is to aid the Ascot Distributors and their customers in the resale of automotive related parts. This catalog, or any part thereof, may not be reproduced in any form without written consent from Ascot Supply Corp.
- Ascot and the "Ascot Logo" are marks of Ascot Supply Corporation. The products in this catalog are manufactured for distributors of Ascot Supply Corp. and their customers.
- Caution and Warning statements appear throughout this catalog. Use of products in this catalog contrary to specifications and directions may result in personal injury and/or property damage.
- **WARRANTY DISCLAIMER:** Ascot Supply Corp. has made a diligent effort to illustrate and describe the products in this catalog accurately; however, illustrations, photos and descriptions are for the sole purpose of identification and do not express or imply a warranty that the products are merchantable, or fit for a particular purpose, or that the products will necessarily conform to the illustrations, photos or descriptions. Ascot Supply Corporation or its Distributors make no warranty or affirmation of fact, express or implied.
- Lead is harmful if ingested. Wash thoroughly after handling and before eating, drinking or smoking. Keep away from children and pets.
- O.S.H.A. HAZARDOUS SUBSTANCE AND CALIFORNIA PROPOSITION 65 PRODUCT INFORMATION: Material Data Safety Sheets for products containing OSHA defined hazardous substances and a list of products known to the state of California to cause cancer, birth defects, or other reproductive harm are available upon request from Ascot Supply Corp.
- Ascot Supply Corp. disclaims all express and implied warranties, including the implied warranties of merchantability and fitness for a particular purpose. Ascot Supply Corp. also disclaims liability for personal injury, property damage or consequential damages.
- **IMPORTANT:** Snap-In passenger valve stems are safe for tire pressures up to a maximum of 60 psi (cold tire pressure) and for a maximum rim thickness of .156" (3.96mm). If greater pressure or rim thickness is required, metal clamp-in valve stems are recommended.
- Ascot Supply Corp. Does Not recommend "temporary" tire repairs. All repairs should perform the function of filling or replacing the injured section as recommended by the RMA and other industry associations.
- Always wear eye protection when using air tools, wheels, cups and rasps.
- **WARNING:** Always wear safety goggles when using striking or struck tools. Never use one hammer to strike another hammer. Never use a striking tool with a loose or damaged handle. Discard any striking or struck tool if it shows dents, cracks, chips or mushrooming.
- **CAUTION:** Use all chemicals and cements in a well ventilated area. Avoid prolonged breathing or inhalation of vapors.
- For best results, check tire pressure when tires are cold or when the vehicle has not been driven for several hours. Readings taken after prolonged driving at high speeds will increase tire pressure causing a false reading. Check tire pressure at least once a week or as necessary.