

RETRADING

Rasp Blades & Spacers

Retread Accessories

Retread Consumables

Tire Appearance

Envelopes

Rasp Blades and Spacers

PINCOTT® STANDARD SERIES BUFFING RASP BLADE SPACERS

Progressive development of blades capable of higher rates of rubber removal and the use of more powerful and higher speed machines imposed increasingly severe temperature conditions on rasp blades, giving rise to the need for effective cooling to avoid loss of temper in the blade material.



Allows cross ventilation and cleaning of cut rubber through the rasps head



SINGLE SECTION
1/8", 5/32", 3/16"

ASCOT NO.	MFG. NO.	DESCRIPTION
613-00414	R4S14DL	1/4" Double
613-00418	R4S18SL	1/8" Single
613-00438	R4S38DL	3/8" Double
613-04316	R4S316SL	3/16" Single
613-04516	R4S516DL	5/16" Double
613-04532	R4S532SL	5/32" Single
613-00514	R5S14DL	1/4" Double
613-00518	R5S18SL	1/8" Single
613-00538	R5S38DL	3/8" Double
613-53165	R5S316SL	3/16" Single
613-00614	R6S14DL	1/4" Double
613-00618	R6S18SL	1/8" Single
613-00638	R6S38DL	3/8" Double
613-06316	R6S316SL	3/16" Single
613-06516	R6S516DL	5/16" Double
613-06532	R6S532SL	5/32" Single

Available for contoured hubs

SPACERS FOR 9" 4-SEGMENT

SPACERS FOR 11.5" 5-SEGMENT

SPACERS FOR 11.5" 6-SEGMENT

HOW TO ORDER BUFFING HUBS

- 1 Model/Make of Buffer
- 2 Arbor Hole Size
- 3 Keyway Size, if any
- 4 Pin Length
- 5 Rasp Blade Type
- 6 Hub Type: Non-Spiral, Heavy-Duty, All Purpose or Regular



Saturn hub pictured in Bandag setup with 20 each R4S38DL and 4 each R4S316SL.


PINCOTT® RASP BLADES - STANDARD SERIES

- Exclusive heat treating process
- Reduced tooth breakage
- Cooler running • Faster material removal • No blade warpage
- Lower cost per buffed tire

BLADE MATCHING




APPLICATION GUIDE



ASCOT NO.	MFG. NO.	DESCRIPTION
616-00320	PTP3-20	Fits 11.5" 6-Segment Hubs
616-00325	PTP3-25	Fits 11.5" 6-Segment Hubs
616-00416	PTR4-16	Fits 9" 4-Segment Hubs
616-00420	PTR4-20	Fits 9" 4-Segment Hubs
616-00425	PTR4-25	Fits 9" 4-Segment Hubs
616-11520	PTR115-20	Fits 11.5" 5-Segment Hubs
616-11525	PTR115-25	Fits 11.5" 5-Segment Hubs

*Other sizes available for contoured hubs and use with smart blades

PINCOTT® RASP BLADES - ULTRA SERIES



ASCOT NO.	MFG. NO.	DESCRIPTION
616-00111	Ultra I	Fits All 11.5", 5-Segmented Hubs
616-00222	Ultra II	Fits All 9", 4-Segmented Hubs
616-00333	Ultra III	Fits All 11.5", 6-Segmented Hubs



PINCOTT® RASP BLADES - SMART SERIES

- Manufactured with a unique sinusoidal (wave-like) form which introduces a multidirectional cutting action • Wave-like form creates greater strength in the blade and its teeth • Cutting action produces less drag on the rasp motor, saving you energy



FRONT VIEW

SIDE VIEW

ASCOT NO.	MFG. NO.	DESCRIPTION
616-01155	Smart I	Fits all 11.5", 5-Segmented Hubs
616-00944	Smart II	Fits all 9", 4-Segmented Hubs
616-01156	Smart III	Fits all 11.5", 6-Segmented Hubs



Insist on the Original!

EAGLE II BUFFING BLADES

- Fast cutting and long lasting rasps for the best texture in all tire buffing operations • Tested under all conditions with outstanding results



ASCOT NO.	MFG. NO.	DESCRIPTION	BLADES PER SET
616-11275	121181	Eagle II Refill	Eagle II refills 28 per set

BUFFING BLADES

- Proven to be the fastest cutting, longest lasting rasps with the best texture for all buffing operations • Can be used in existing Saturn II or R4 hub assemblies • Fast cutting, long life. Same texture from start to finish • QUANTITY: 30 sets per box

ASCOT NO.	MFG. NO.	DESCRIPTION	TYPE	BLADES PER SET
616-43912	111136	Apollo II	Refill	28
616-43914	111137	Apollo III	Refill	30
616-43920	111140	S115-25	Refill	30
616-43921	111141	S115-20	Refill	30
616-11116	111116	R-4-25	Refill	28
616-01420	111119	R-4-20	Refill	28
616-11521	111107	R-115-20	Refill	25
616-21525	111104	R-115-25	Refill	25
616-43928	121177	Patriot II	Refill	28
616-43940	111172	Gemini II/SII	Refill	28
616-11173	111173	Gemini II/R4	Refill	28



Insist on the Original!

HUB FOR EAGLE II

- Eagle II for use on most Bandag buffers

ASCOT NO.	MFG. NO.	DESCRIPTION
613-12900	111031	Eagle II 9" Dia., 4" W., 1-1/2" Arbor

613-12900



TURBO HOLE APPLICATION

- B & J Rasps can be ordered with Turbo cooling channels producing a significant increase in cooling effect and blade performance. These can be retrofitted to all existing B & J rasps.

ASCOT NO.	MFG. NO.	DESCRIPTION
616-11400	111400	Turbo Hole Application

616-11400



HAND RESHARPENING STONE

- Used to hone the inside and outside of curved surfaces • Wooden Handle




534-80057

ASCOT NO.	MFG. NO.	DESCRIPTION
534-80057	819206	Hand Resharpener Stone



REPLACEMENT PINS FOR ROCKET HUBS

- Special convex style hubs used on buffers must be returned to factory for pin replacement



ASCOT NO.	MFG. NO.	DIA.	LENGTH	ASCOT NO.	MFG. NO.	DIA.	LENGTH
613-43934	111207	5/16"	2-1/2"	613-43944	111208	5/16"	5-3/4"
613-43935	111207	5/16"	3"	613-43945	111208	5/16"	6"
613-43936	111207	5/16"	3-1/8"	613-43946	111208	5/16"	6-1/2"
613-43937	111207	5/16"	3-1/4"	613-43831	111208	5/16"	8"
613-43938	111207	5/16"	3-3/8"	613-43813	111203	1/4"	3"
613-43939	111207	5/16"	3-1/2"	613-43812	111203	1/4"	3-3/8"
613-43940	111205	5/16"	3-3/4"	613-43897	111201	1/4"	3-3/4"
613-43941	111206	5/16"	4"	613-43814	111202	1/4"	4"
613-43924	111208	5/16"	4-1/2"	613-43811	111204	1/4"	6"
613-43943	111208	5/16"	5"	613-43815	111204	1/4"	8"



Rasp Blades and Spacers (cont.)

REPLACEMENT PINS & SPACERS FOR ROCKET HUBS

ASCOT NO. MFG. NO. DESCRIPTION

R-115 STYLE		
613-11205	111205	5/16" Pins / 3-3/4" Long
613-11206	111206	5/16" Pins / 4" Long
613-11207	111207	5/16" Pins / 3-3/8" Long
613-11301	111301	Aluminum I-Beam 3/8" Spacer
613-11302	111302	Aluminum I-Beam 1/4" Spacer
613-11303	111303	Aluminum I-Beam 3/16" Spacer
616-11304	111304	R-115 Aircooled Spacer 3/8"
616-11305	111305	R-115 Aircooled Spacer 1/4"
SATURN II STYLE		
613-11328	111328	Aluminum I-Beam 3/8" Spacer
613-11329	111329	Aluminum I-Beam 1/4" Spacer
613-11330	111330	Aluminum I-Beam 3/16" Spacer
613-11205	111205	5/16" Pins / 3-3/4" Long
613-11206	111206	5/16" Pins / 4" Long
613-11207	111207	5/16" Pins / 3-3/8" Long
SATURN III STYLE		
613-11205	111205	5/16" Pins / 3-3/4" Long
613-11206	111206	5/16" Pins / 4" Long
613-11207	111207	5/16" Pins / 3-3/8" Long
613-11341	111341	Aluminum I-Beam 3/8" Spacer
613-11342	111342	Aluminum I-Beam 1/4" Spacer
613-11343	111343	Aluminum I-Beam 3/16" Spacer
616-11346	111346	Saturn III Aircooled Spacer 3/8"
616-11347	111347	Saturn III Aircooled Spacer 1/4"

ASCOT NO. MFG. NO. DESCRIPTION

EAGLE I STYLE		
613-11380	111380	Aluminum I-Beam 3/8" Spacer
613-11381	111381	Aluminum I-Beam 1/4" Spacer
613-11382	111382	Aluminum I-Beam 3/16" Spacer
613-11205	111205	5/16" Pins / 3-3/4" Long
613-11206	111206	5/16" Pins / 4" Long
EAGLE II STYLE		
613-11383	111383	Aluminum I-Beam 3/8" Spacer
613-11384	111384	Aluminum I-Beam 1/4" Spacer
613-11385	111385	Aluminum I-Beam 3/16" Spacer
613-11205	111205	5/16" Pins / 3-3/4" Long
613-11206	111206	5/16" Pins / 4" Long
R4 STYLE		
613-11201	111201	1/4" Pins / 3-3/4" Long
613-11202	111202	1/4" Pins / 4" Long
613-11310	111310	Aluminum I-Beam 3/8" Spacer
613-11311	111311	Aluminum I-Beam 1/4" Spacer
613-11312	111312	Aluminum I-Beam 3/16" Spacer
616-11313	111313	R4 Aircooled Spacer 3/8"
616-11314	111314	R4 Aircooled Spacer 1/4"



Note: For optimum performance replace spacers and pins as a set




To properly rebuild a Saturn II rasp hub order the following components:

QTY.	MFG. NO.	DESCRIPTION
8	111205	5/16" x 3-3/4" Pins
20	111328	3/8" I-Beam Spacers
4	111330	3/16" I-Beam Spacers

PINS FOR EAGLE II HUBS

ASCOT NO.	MFG. NO.	DESCRIPTION
613-11206	111206	Eagle II Long Pins 5/16"



616-11206

SATURN II STYLE AIR COOLED SPACER

ASCOT NO.	MFG. NO.	DESCRIPTION
616-11365	111365	Saturn II Aircooled Aluminum Spacer 3/8" - 2 Pinholes for Saturn II US Domestic Rasp



616-11365

B & J OUTER SUPPORT SPACERS

ASCOT NO.	MFG. NO.	DESCRIPTION
613-11391	111391	Saturn II Outer Support Spacers (Box of 8)



616-11391

REPLACEMENT SPACERS FOR EAGLE II HUBS

ASCOT NO.	MFG. NO.	DESCRIPTION	WIDTH
613-11383	111383	Eagle II Spacer (Standard)	3/8"
613-11384	111384	Eagle II Spacer	1/4"
613-11385	111385	Eagle II Spacer	3/16"



REPLACING HUBS,
PINS & SPACERS



APPLICATION GUIDE



ROCKET RASP ROTARY GOUGES



616-11605

616-11612

ASCOT NO.	MFG. NO.	DESCRIPTION
616-11603	810603	1-1/4" Dia. Mini No Notch 3/8" 24 THD (3/Set)
616-11604	810604	1-1/4" Dia. Mini No Notch 3/8" AH (3/Set)
616-11605	810605	2" Dia. Heavy Wall No Notch 1/2" AH
616-11606	810606	2" Dia. Heavy Wall No Notch 1/2" AH
616-11610	810610	2" Dia. Thin Wall No Notch 3/8" AH (2/Set)
616-11612	810612	2" Dia. Thin Wall Notched 3/8" AH (2/Set)
616-16101	810610-1	2" Dia. Thin Wall No Notch 1/2" AH (2/Set)
616-16102	810610-2	2" Dia. Thin Wall No Notch 3/8" 24 THD (2/Set)
616-16121	810612-1	2" Dia. Thin Wall Notched 1/2" AH (2/Set)
616-16122	810612-2	2" Dia. Thin Wall Notched 3/8" 24 THD (2/Set)

B & J ROCKET SQUIGGLY RASP

- Fast Rubber Removal • No scorching • Easy Control • Long life • No regritting costs




616-82013

ASCOT NO.	MFG. NO.	DESCRIPTION
616-82013	820103	10 Blades w/ Support Plate (10 per Pack)
616-82014	820104	24 Blades w/ Support Plate (24 per Pack)

MINI RASPS

- These Mini Rasps are very efficient when larger amounts of rubber have to be removed quickly, for example in the event of very large repairs they can drastically reduce the required buffout time • Both Mini Rasp versions are available individually or as complete, ready-to-use kits with adapters for use on quick change chucks



539-11075

539-11076

ASCOT NO.	MFG. NO.	DESCRIPTION
539-11075	111075	R-5 Rasp Complete (1 Set of R-5 Refills, 6 Alu Washer, NV 11 Adapter R-5)
539-11134	111134	R-5 Refills (1 Set of 5 Pieces)
539-11076	111076	R-6 Rasp Complete (1 Set of R-6 Refills, 7 Alu Washers, NV 11 Adapter R-6)
539-11133	111133	R-6 Refills (1 Set of 6 Pieces)



PINCOTT® ROTARY GOUGES

ASCOT NO.	MFG. NO.	DESCRIPTION
613-91501	901501	2" Dia. Heavy Wall, 1/2" Arbor Hole (2 per Box)
613-91502	901502	2" Dia. Heavy Wall, 3/8"-24 Thread Arbor Hole (2 per Box)
613-91503	901503	2" Dia. Thin Wall, 3/8" Arbor Hole (2 per Box)
613-91321	901321	1-1/4" Dia. Heavy Wall, 3/8"-24 Thread Arbor Hole (3 per Box)
613-91322	901322	1-1/4" Dia. Thin Wall, 3/8" Arbor Hole (3 per Box)
613-91207	901207	3/4" Dia. Thin Wall, 3/8"-24 Thread Arbor Hole (4 per Box)

PINCOTT® MINI RASPS

ASCOT NO.	MFG. NO.	DESCRIPTION
539-00005	PTP5	P5 Refill (6 per Box)
539-00006	PTP6	P6 Refill (6 per Box)

Retread Accessories

PRECURE SHOP ACCESSORIES



639-11073



ASCOT NO.	ITEM NO.	DESCRIPTION
639-11081	11081F	Duofast Air Stapler F1B-50-16
639-11139	11139F	Bostitch Air Stapler 31, F1B-84-16
639-50806	ED-508C-06	Duofast 1/4" Staples (5,000 per Box, 20 Boxes per Case)
639-50184	ED-5018C-14	Duofast 9/16" Staples (5,000 per Box, 20 Boxes per Case)
639-42308	ESBNK-4023-08	Bostitch 5/16" Staples (10,000 per Box, 20 Boxes per Case)
639-42312	SBNK4023-12	Bostitch 1/2" Staples (10,000 per Box, 10 Boxes per Case)

Retread Accessories (cont.)



PRECURE TREAD STAPLES

ASCOT NO.	MFG. NO.	DESCRIPTION
639-10800	11073F	Fasco Staple Gun F1B 80-16
639-02338	ESBNK402310	Bostitch 3/8" Staples (10,000 per Box, 20 Boxes per Case)
639-05010	ED5010C08	Duofast 5/16" Staples (5000 per Box, 20 Boxes per Case)
639-08008	EB8008	20ga Chisel Point 5/16" Staples - Fits Fasco, BeA (10,000 per Box, 24 Boxes per Case)
639-05012	ED5012C10	Duofast 3/8" Staples (5000 per Box, 20 Boxes per Case)

TEFLON HOSE ASSEMBLIES FOR PRECURE RETREADING SYSTEMS

- Teflon hose assemblies in any length are available for all precure tire retreading equipment including Bandag, Harrelson, Vulcan, etc.
- Hoses are used inside the chamber for inflating the tire and evacuating the air from the envelope
- Hoses are made of an innercore of extruded Teflon and covered with stainless steel braid reinforcement
- All hoses have permanent swage-type brass end fittings 1/4"-18 male pipe (NPT)

COUPLERS & PLUGS

ASCOT NO.	MFG. NO.	DESCRIPTION
645-01000	1000	1/4" Bandag-Type Coupler
645-00011	11E	Plug Tire Valve Stem Steel Fits 5/16"-32 Ft.
645-03000	W-3000HT	High Temperature Washer for 1000 Above

HANSEN SPECIAL COUPLER FOR PRESS TYPE MATRIX

645-00321	B3HD21Y	Coupler (Brass)
645-21192	B3K21192	Plug (Brass)

1/4" BANDAG-TYPE COUPLERS/ADAPTERS

645-00017	CST17B	Chamber Exhaust Coupler (Brass)
645-00117	CPST17B	Chamber Envelope Adapter (Brass)
645-02014	2014EPR	Thin Replacement O-ring
645-02110	2110EPR	Wide Replacement O-ring

PARKER SPECIAL COUPLER MRT

645-01604	BH1-60Y4FP	Coupler Vacuum Seal
645-16171	BH1-61-711	MRT Coupler Adapter

BAIRD STYLE COUPLERS AND ADAPTERS

645-08476	874-6	Straight Thru With 90° Side Exhaust Coupler For Envelope Use
645-00874	874	90° Hose Inlet Coupler For Tube
645-00812	812	.302 Valve Steam Adapter
645-00814	814	.482 Envelope Adapter



NAILHOLE TESTER/SPREADER

- Electric variable speed rotation • Quick change probe heads • Hand and foot operated bi-directional rotation • Auto-stop flaw detection
- Visible spark at flaw location • Four air tool ports and two 110V outlets
- Accurate flaw detection • Uses standard 110V power • Hand-operated spread and lift • Adjustable work height • Includes medium truck probe

PARTS & ACCESSORIES AVAILABLE (SOLD SEPARATELY)



ASCOT NO.	MFG. NO.	DESCRIPTION
606-57000	BTT-5700-S	Nailhole Tester/Spreader - Steel
606-57001	BTT-5700-SF	Nailhole Tester/Spreader - Steel/Fabric





PORTABLE SPRAYING EQUIPMENT

- PORTABLE SPRAYER INCLUDES: Pump, 25' x 1/4" airless hose, gun swivel, silver spray gun and tip of choice • Recommended Graco tip #163-415



ASCOT NO.	MFG. NO.	DESCRIPTION
651-32437	232-437	23:1 Cement Sprayer
651-35462	235-462	Silver Airless Spray Gun Only
651-63415	163-415	Silver Tip, .015" Orifice, 8-10" Fan Width

WYCO FLEXIBLE SHAFT MACHINES

- TYPICAL APPLICATIONS INCLUDE: Wood or metal finishing, rust or paint removal, auto body sanding, tire buffing, etc.
- Many types of accessories are used with these machines, including edge-type grinding wheels, wire brushes, sanding discs, depressed center wheels, tire rasps, sanding drums



ASCOT NO.	MFG. NO.	CORE CASING & HAND PC. NO.	LENGTH (FEET)	CORE NO.	CASING	STRAIGHT HAND PC.
516-00491	49-1	10R	5	C-10	K-10	3500
516-00492	49-2	10R	5	C-10	K-10	3500
516-00493	49-3	2R	6	C-2	K-2	3500
516-00494	49-4	2R	6	C-2	K-2	3500
516-00495	49-5	30R	7	C-30	K-30	551
516-00496	49-6	30R	7	C-30	K-30	551
516-04914	49-14	4R	7	C-4	K-4	551



RETREAD BRUSHES

- Used for applying and stippling in cement



ASCOT NO.	MFG. NO.	DESCRIPTION
653-40082	40082	2" Diameter Stipple Brush



TACK BANDS FOR SMOOTH, FINE TEXTURE



ASCOT NO.	MFG. NO.	DESCRIPTION
539-80002	H12	OX2R 2-1/2" OD x 1" W
539-80003	H11	OX3R 2-1/2" OD x 5/8" W
539-80012	OX2-R	2-1/2" OD x 1" W
539-80013	OX3-R	1-1/2" OD x 5/8" W

WHEEL ARBOR-ADAPTERS

- For grinding wheels or wire brushes
- 9/16" - 18 female thread to fit Wyco handpieces



ASCOT NO.	MFG. NO.	WHEEL WIDTH	MALE THREAD
FOR GRINDING WHEELS AND OTHER ACCESSORIES			
516-00305	305	5/8"	3/8"-24
516-00405	405	1"	1/2"-20
516-00505	505	1-1/2"	1/2"-20
516-00605	605	1-1/2"	5/8"-18

ASCOT NO.	MFG. NO.	DESCRIPTION
FOR ROTARY RASPS		
516-01305	305R	Threaded 3/8" (16 To Fit Rasps)
516-01405	405R	Threaded 1/2" (13 To Fit Rasps)

Retread Accessories (cont.)

EXPANDABLE RIM ASSEMBLIES
& REPLACEMENT BELTS

EXP. RIM ASSEMBLIES ASCOT NO.	EXP. RIM ASSEMBLIES MFG. NO.	RIM	BEAD WIDTH	REPL. BELTS ASCOT NO.	REPL. BELTS MFG. NO.
613-39020	309020	12-14"	5"	613-28260	309510
613-00436	309030	13-16"	6-3/8"	613-00660	309520
613-33379	309962	13-16"	7-1/2"	613-33382	309521
613-28081	309963	13-16"	11-3/8"	613-28160	309522
613-32769	309942	14-17"	6"	613-32773	309541
613-00937	309140	14-17"	7-1/8"	613-02701	309540
613-28313	309150	14-17"	9-1/4"	613-02821	309550
613-00938	309952	14-17"	11-3/8"	613-02702	309560
613-00465	309040	17-20"	6-1/2"	613-01653	309570
613-32774	309202	17-20"	8-1/4"	613-32778	309242
613-28271	309211	18-20"	7-5/8"	613-33717	309354
613-00470	309220	17-20"	13-1/4"	613-01332	309580
613-00674	309230	18-20"	16-3/8"	613-02092	309356

Expandable Hub
Assembly

EXP. RIM ASSEMBLIES ASCOT NO.	EXP. RIM ASSEMBLIES MFG. NO.	RIM	BEAD WIDTH	REPL. BELTS ASCOT NO.	REPL. BELTS MFG. NO.
613-23800	309602	20-22.5"	8-1/4"	613-33092	309622
613-00466	309050	20-22.5"	9"	613-01715	309610
613-32822	309183	20-22.5"	11-3/4"	613-32826	309612
613-33162	309021	20-22.5"	14-1/2"	613-33007	309491
613-25718	309190	22-24.5"	7-1/2"	613-25839	309600
613-33093	309282	22-24.5"	8-1/4"	613-33094	309302
613-00846	309060	22-24.5"	9"	613-02533	309630
613-00467	309070	22-24.5"	13-3/8"	613-01955	309640
613-33564	309912	22-24.5"	14-1/2"	613-33568	309641
613-00839	309913	22-24.5"	18-1/2"	613-02516	309643
613-00699	309490	23-25"	13-3/8"	613-11955	309500
613-00705	309890	27-29"	14"	613-02184	309644

EXPANDABLE HUB REPLACEMENT STEMS

Locking Stems
Shown

ASCOT NO.	MFG. NO.	DESCRIPTION
613-00512	900512	Garner Spring
613-09111	309111	4 Lock 8 Plain Stem Set
613-19111	30911L	12 All Lock Stem Set
613-29617	729617	Steel-Inserted Plain Stem
613-29618	729618	Steel-Inserted Plain Locking Stem

POLY EASE RETREAD RELEASE LINER

- American made perforated polypropylene film is specified to soften at 311°F and melt at 328°F • For low temp bonding chambers • 75 Gauge
- Custom widths are also available • High temp film available

ASCOT NO.	MFG. NO.	WIDTH	LENGTH	QTY./BOX	WEIGHT/ROLL
634-12027	PP12HD	12"	2700'	2	26 lb.
634-14027	PP14HD	14"	2700'	2	30 lb.
634-15027	PP15HD	15"	2700'	2	32 lb.
634-18027	PP18HD	18"	2700'	1	33 lb.

ENVELOPE SEALING RINGS*

- Heavy duty Acme Threads • Sliding shield on outer body • Ergonomic handle • Oil-impregnated bushings

Branick

644-12345

ASCOT NO.	MFG. NO.	DESCRIPTION
644-12345	644	Envelope Sealer Rings

*Available Sizes: 14", 15", 16", 16.5", 17", 17.5", 19.5", 20", 22", 22.5", 24" & 24.5"

ASCOT
SUPPLY CORPORATIONBANDAG SIDEWALL
BUFFING CUP AND BRUSH

538-12900



ASCOT NO.	MFG. NO.	DESCRIPTION
538-12900	RH129	4" Buffing Cup, 3/4" Arbor Hole, SSG 390
535-06020	6020	Wire Brush, .0118 Wire Size
535-03811	3811	2" to 3/4" Arbor Hole Adapter Plates

STRETCH WICKING PRODUCTS

- For use with valve-type envelopes • All 4-ply



ASCOT NO.	DESCRIPTION	QTY./BOX
634-00812	8" x 12" Stretch Wicking Pad	24
634-00815	8" x 15" Stretch Wicking Pad	24
634-00820	8" x 20" Stretch Wicking Pad	24
645-01812	WKMICH8X12 Michelin Wicking Pad	24
645-01815	WKMICH8X15 Michelin Wicking Pad	24



634-05586



WOVEN ROLL WICKING

- For use with non-valve type processes • Full rolls only • Treated with a special release agent to prevent adhesion to the cushion gum

ASCOT NO.	DESCRIPTION	SIZE
634-05586	Woven Roll Wicking - Green	1-1/2" x 180'
634-05587	Woven Roll Wicking - Green	2" x 180'

RUBBER WICKING PADS

- High elasticity compound eliminating tread deformations
- Eliminates use of venting poly underneath
- Excellent thermal resistance, reducing aging for extended use



ASCOT NO.	MFG. NO.	SIZE	QTY./BOX
634-00115	DL01-15	55.50" x 6.75"	15
634-00315	DL03-15	48.75" x 6.75"	15
634-00515	DL05-15	29" x 5"	15

Retread Consumables

JET CUSHION GUM

- Designed to line skived areas to improve adhesion • Available in multiple widths and thicknesses • Available in black or grey
- All sizes sold in approximately 25 lb. increments and priced by the pound

When ordering cushion gum please specify the curing temperature that you are curing at, the width and thickness of the cushion gum.

Please call for more details.



STRIPPING STOCK

- Stripping Stock curing temperatures 914, 074, 440 • Free flowing quality stock for stripping edges of tread rubber to cover excess buffed surfaces
- APPLICATIONS: Used on sidewalls to improve appearance • 25 lb. box
- Available at any gauge & width

Please call for more details.



JET ROPE RUBBER

- Rubber extruded is rope form
- Especially for mini-extruder guns
- APPLICATIONS: For filling buzz-outs, section repairs, cuts & snags
- Available in 1/4" or 3/8" diameters
- All sizes sold in approximately 25 lb. increments and priced by the pound

- Use RR074 for repairing with section mold or spotter: 250° - 280° (Regular cure)
- Use RR914 for hot or precure retreading: 250° - 320° (High temperature). Fast Cure
- Use RR440 for low temperature precure retreading: 200°-250°

Please call for more details.



Retread Consumables (cont.)

JET RUBBER SOLVENT

- Pure Aliphatic Hydrocarbon • Free from oils and impurities
- APPLICATIONS: For diluting or thinning heavy viscosity cements and tire paint; For cleaning buffed retread and repair surfaces; For freshening cushion gum and other uncured rubber stocks

ASCOT NO.	MFG. NO.	DESCRIPTION
633-50105	C131-5GAL	5-Gallon Container
633-50154	C131-54GAL	54-Gallon Container

JET BLACK VULCANIZING CEMENT

BRUSH TYPE: An excellent repair cement • Contains special additives to bond to exposed cords such as nylon, rayon, fiberglass, polyester & polyaramid • Use within 15 minutes on exposed steel for best adhesion • Superior tack and excellent cured adhesion

SPRAY TYPE: An all purpose cement for both hot capping and precure retreading • Also used for repairing • High tack cement • Excellent cured adhesion and provides superior bond and tack • Available in 32 oz. and 54 Gallon

ASCOT NO.	MFG. NO.	DESCRIPTION
633-83005	CH03-5GAL	5-Gallon Brush Cement
633-83015	CH00-5GAL	5-Gallon Spray Cement



633-50105

633-83005

Tire Appearance

SURE SHOT PRESSURE SPRAYERS

- Air pressurized and refillable • Environmentally safe, eliminates aerosol usage • For brake and parts cleaner, penetrating oils, lubricants, degreasers, solvents • MADE IN USA

ASCOT NO.	MFG. NO.	DESCRIPTION
632-00005	K-5	Partial Repair Kit for Model A Sure Shot Sprayers
632-00010	K-10	Complete Repair Kit for Model A Sure Shot Sprayers
632-01002	A1002	Sure Shot Black Enameled Steel Sprayer w/ Adjustable Nozzle
632-10001	A1000R	Sure Shot Enameled Steel Sprayer (Red)
632-02400	M2400S	Anodized Aluminum Sprayer



632-02400

ASCOT
SUPPLY CORPORATION

MOLD LUBRICANT (CONCENTRATED)

- Release molded retreads with ease and keep molds clean at the same time
- This non-flammable, odorless formula allows rubber to flow freely and prevents carbon buildup • Produces a superior satin finish with no staining • Economical concentrate may be diluted with up to 20 parts water to one part lubricant

ASCOT NO.	DESCRIPTION
647-24501	Mold Lubricant (1-Gallon)
647-24505	Mold Lubricant (5-Gallon)

647-24501





ROBBINS ENVELOPE LUBE

- Spray on inside of the envelope, spray on while envelope is hot to dry faster, spray after first cure and then every 30 cures or as needed • Quart container is a convenient spray bottle • Ready to use, no dilution required

ASCOT NO.	MFG. NO.	DESCRIPTION
647-05611	5611	Robbins Envelope Lube (1-Quart)
647-05612	5612	Robbins Envelope Lube (1-Gallon)
647-05613	5613	Robbins Envelope Lube (5-Gallon)



647-05612

647-05611



NEW LOOK TIRE VENEER

- Premium water-based coating with excellent hiding power specifically for retread tires • Revolutionary design applies a matte, rubber veneer finish to the tire's sidewall • Covers and hides all chalk marks • Dries quickly, will not wash off in rain • Ready to use

ASCOT NO.	MFG. NO.	DESCRIPTION
497-84405	NL640	IMI New Look Tire Veneer - 5-Gal Pail
497-84406	NL55G	IMI New Look Tire Veneer - 55-Gal Drum



497-84405



BLACK-OUT BLACK TIRE PAINT

- Ready to use water based black tire paint • Restores the original appearance of retreaded and used tires • Covers crayon marks, scuffs and dirt to give the tire a new fresh look • Works with machine or hand application • Compatible with tire painting machines

ASCOT NO.	MFG. NO.	DESCRIPTION
497-00005	Blackout-5	Black-Out Black Tire Paint (5-Gallon)
497-00055	Blackout-55	Black-Out Black Tire Paint (55-Gallon)



497-00005

REMA SHINE

- Water-based • Excellent for interior plastic and vinyl trim • Deep long-lasting shine • Convenient, ready-to-use formula • Pleasant odor and VOC compliant

ASCOT NO.	MFG. NO.	DESCRIPTION
395-10100	101000110	REMA Shine

EXPANDABLE HUB LUBE

- Ready-To-Use formula • Quick/easy application • Petroleum/Silicone free
- No mess or product build-up on equipment • 70+ tires per application


ASCOT NO.	MFG. NO.	DESCRIPTION
647-00032	EHL-32	Expandable Hub Lube (32 Oz. Spray Bottle)



395-10100

647-00032

Envelopes



Envelope Spreader Available.
Call for Details.

ENVELOPE
APPLICATION



APPLICATION GUIDE

ACCU FIT II/INNERLOPE INSIDE ENVELOPES

ASCOT NO.	MFG. NO.	OUTSIDE	TIRE SIZE
643-40001	40x8-24.5	4422	305/75R24.5 Deep Lug
643-40002	40x8-24.5	4223	305/75R24.5
643-40003	38x8-24.5	4224	285/75R24.5, 275/80R24.5
643-40004	42x8-24.5	4422	12R24.5
643-40005	42x8-24.5	4422	11R24.5
643-40006	44x10-24.5	4423	12.00R24
643-40007	42x10-24.5	4422	11.00R24
643-40008	42x10-22.5	4422	455/55R22.5
643-40009	44x12-22.5	4522	445/65R22.5 18R22.5
643-40010	40x8-22.5	4219	445/50R22.5, 315/80R22.5, 305/85R22.5
643-40011	44x10-22.5	4522	425/65R22.5 16R22.5
643-40012	42x10-22.5	4422	385/65R22.5 15R22.5
643-40013	38x8-22.5	4023	305/75R22.5, 305/70R22.5, 295/80R22.5, 295/75R22.5, 275/80R22.5
643-40014	35x8-22.5	3822	275/70R22.5, 265/75R22.5, 255/80R22.5, 255/70R22.5, 245/75R22.5, 235/80R22.5
643-40015	40x8-22.5	4224	12.75R22.5, 12R22.5, 10.00R22
643-40016	38x8-22.5	4224	11R22.5, 10R22.5
643-40017	35x8-22.5	3822	9R22.5
643-40018	42x8-22.5	4422	11.00R22

ASCOT NO.	MFG. NO.	OUTSIDE	TIRE SIZE
643-40019	42x10-20	4422	365/80R20
643-40020	42x8-20	4423	14/80R20
643-40021	44x12-20	4522	14.00R20
643-40022	40x8-20	4224	13/80R20, 11.00R20, 10.00R20
643-40023	42x10-20	4422	12.00R20
643-40024	38x8-20	4023	9.00R20
643-40025	35x8-20	3822	8.25R20
643-40026	35x8-19.5	3521	305/70R19.5
643-40027	32x8-19.5	3521	285/70R19.5, 265/70R19.5, 245/70R19.5
643-40028	29x7-19.5	3218	225/70R19.5
643-40029	29x7-19.5	3218	8R19.5
643-40030	29x7-17.5	3117	245/70R17.5, 215/75R17.5
643-40031	35x8-17.5	3822	11R17.5
643-40032	32x8-17.5	3521	10R17.5, 9.5R17.5, 9R17.5
643-40033	31x6-17.5	3218	7.50-17
643-40034	29x7-16	3218	245/75R16, 235/85R16, 215/85R16, 7.50R16
643-40035	27x5-16	2916	225/75R16
643-40036	10.00-15 HB	3521	10.00R15
643-40037	8.25-15 HB	3218	8.25R15



Insist on the Original!

B & J ENVELOPE TESTER

- Extremely Fast
- Detects the smallest leaks • Positive operation • Easy to install • Simple to use
- No maintenance required!



649-83340

ASCOT NO.	MFG. NO.	DESCRIPTION
649-83340	833400	B & J Envelope Tester

ENVELOPE STORAGE CART

- Organize and store envelopes conveniently
- Mobile, can be moved around the shop wherever needed • Sturdy and easy to maneuver • Color-coded handle grips available to organize envelopes by size • Easy assembly • CART HEIGHT: 39.75" • BASE DIAMETER: 47.83" • LOAD CAPACITY: 1,000 lb.



649-40100

ASCOT NO.	MFG. NO.	DESCRIPTION
649-40100	840100	Envelope Storage Cart