



RUBBER-INC.

Providing Tire Service Solutions since 1939

TIRE Equipment

***PASSENGER, LIGHT TRUCK, &
HD EQUIPMENT***



INDEX

3-4 COATS

5-6 CORGHI

7 AUTEL

8 HOFMANN

9 ROTARY/FORWARD LIFTS

10 AIR COMPRESSORS

11 AC SERVICE EQUIPMENT

FLEXIBLE
FINANCING
OPTIONS
AVAILABLE!

SCAN FOR
CURRENT
SPECIALS



TILT-BACK CHANGERS



APS3000
Leverless Tire Changer

MAXX SERIES TIRE CHANGERS



Maxx 50

Maxx 70

Maxx 80

Maxx 90

All Units

- 6" – 24" External Rim Diameter
- High Pressure Dual Nozzle
- Robo-Arm® Bead Depressor

MAXX70

- Swing Away Arm & Nylon Duckhead
- Hand Control Bead Loosening System

MAXX80

- RoboRoller
- Hand & Foot Control Bead Loosening System
- Storage Cabinet

MAXX90

- Leverless Bead Lifter
- 30" Max 4 Rim Clamp Set
- 220V 2 Speed Motor

RC-SERIES TIRE CHANGERS

RC-45

- Foot-Controlled Bead Loosener
- Max. Tire Width: 10.5"
- Clamping Range: 6" - 24"
- Steel Clamps Std.
- Durable Steel Duckhead Standard
- Small Footprint



RC-55

- RC Robo-Arm® Helper Device



CENTER POST TIRE CHANGERS

All Units

- 2" – 30" External Rim Diameter
- Hand Control Bead Loosening System
- Auxiliary Bead Sealer
- Robo-Arm® Bead Depressor
- Robo Roller
- 220V, 2 HP Electric Motor

80C

- Swing Away Arm Mount/Dismount System
- Center Clamp with Manual Lock Wheel Clamp System

90C

- Leverless Duckhead® Mount/Demount Tool
- Center Clamp with Manual Lock

80C



90C



MOUNT & DEMOUNT HEADS



Nylon Kit with Tapered Hole (Head & Hardware)

009AE183061



Grey Low-Profile (Head and Hardware)

009AE184432



Hybrid Plastic Head Protector (2/Unit)

009AE182961



Coats-Style Steel

009AE182788

***Ask about more available accessories**

DIRECT DRIVE WHEEL BALANCERS



1300

- Direct Drive – No Daily Calibration Needed
- Identifies Excess Residual Static Imbalance
- Automatic 2-D Data Entry on Wheel
- Diameter and O-Set Measurement



1500

- Laser- Guided Operation
 - 5 O'Clock Tape Application
 - 12 O'Clock Clip Application
- Automatic 3-D Data Entry
- Stop and Lock
- Double-Sided Collets Included



1600

- Enhanced Laser Guided Operation
- Stop, Lock & Index
- ProBalance Technology
- Touchscreen
- Speed ThreadLED barrel lighting



E900 ProBalance

- Direct-Drive System for Faster Balancing
- Advanced Ride Quality Diagnostics
- Detects Wheel and Tire Runout
- Smartphone-Style Touchscreen Interface
- Up to 10x Faster Cycle Times

CHD TIRE CHANGERS



CHD 6330

- Most compact of the jaw-style clamping machines available
- Easy-to-learn and designed for moderate to high-volume shops
- Fast & easy clamping of virtually all rim styles
- Floating jaws match wheel contours for excellent grip and safety
- Solid, single-piece frame for added capacity and reliability
- Portable wired control unit allows best angle at all times
- Handles rims from 13" to 27" & tires up to 63" in diameter and 30.5" wide
- CHD Series also includes models

Available in single phase and three phase

ALIGNMENT SCISSOR LIFTS



Available Capacities: 12K, 14K, 16K

- Assembled in North America with superior structural strength
- Two Heavy-Duty Rolling Jacks
- Set of Stainless Steel Turnplates & Roll Back Bars
- Stainless Steel Electric Transducers for precise leveling and more precise alignments
- 1/2" Polyethylene Radius Turnplate Pocket Liner
- Secondary Assist Cylinders (14K/16K only)

6450 HD BALANCER KIT



- Powerful 1.5 HP direct drive motor
- Shows static & dynamic data & identifies any excess residual static imbalance.
- 500 lbs. Met Lab / UL approved.
- Designed for front line, high-volume balancing.
- Easy-to-read LED readouts & laser weight placement
- Auto indexing automatically moves the wheel to weight positions.
- Stop and Lock
- Wheel lift included
- Dual Calibration Software to accommodate passenger and heavy duty

OPTIONAL ACCESSORIES



8109877
Budd Cone and
Backing Plate Kit



8143935
Stud Piloted Budd
Wheel Adapter Kit

6500 3D ALIGNER

- Exclusive Coats Software with Toe+, multiple roll options, and all measurements screens
- Intuitively built platform for custom measurements, alignment specs, and shop ROs
- Mobile Cabinet and large LCD moveable display for any shop placement
- Tire Gripping QC20 Wheel Clamps extending to 43" with self-centering, standard clamp set enclosed
- QR Code for remote viewing access
- VIN Scanner, Printer, Brake Pedal Depressor, and Steering Wheel Holder included



**KEEP YOUR SHOP & TECHS SAFE.
LIFTS SHOULD BE INSPECTED YEARLY.**

2-POST LIFTS



**Available Capacities:
9k, 10K, 12K,
16K, 20K**

- Rigorously Tested & ALI Certified
- Now Offering Extended Height, Narrow, & Wider Models
- Red or Blue Available

ALIGNMENT 4-POST LIFTS



**Available Capacities:
15K, 19K, 30K,
33K**

007ASCR66
Ascot by Corghi
Wheel Lift



007ASC3011
Ascot by Corghi
Smart Arm
Wheel Balancer



007ASC8630
Ascot by Corghi Rim
Clamp Tire Changer

- Designed to handle passenger and light truck wheels.



TIRE CHANGERS

*Ask about the jaw adapters for 4" additional clamping range.

OPTIONAL ACCESSORIES



A2024TI
Tiltback designed to handle passenger, light truck and motorcycle wheels.



A9830
New swing arm tire changer with 26" turntable - robust, reliable, versatile.



A9824TI
Designed to handle passenger, light truck and motorcycle wheels.



A2030
Handles wheels up to 26". Add a simple economical expansion kit to increase up to a 30" wheel.



PU1500
Pneumatic Power Unit
Helper Assist Arm



SP2300 PLUS
Pneumatic
Helper Arm

CENTER POST TIRE CHANGERS



Artiglio 500
A Leverless tire changer for wheels up to 32", designed for faster service and rim protection.



Artiglio Master Force
Hydraulic tire changer with advanced automation for fast, precise service on low-profile, run-flat, and UHP tires while protecting wheels and reducing operator effort.

TIRE BALANCERS

EM9980C
Diagnostic balancer no manual operations required by the operator. Reduce spin and diagnostic times to make it one of the fastest on the market.



EM9780C
Touchscreen, contactless, and automatic. Works quickly without ever touching the wheel.



HD TIRE CHANGERS



HD1300

For demounting and mounting a wide range of wheels on trucks & Ag.
Max Tire Width (51"), Max Tire Dia (86")

OPTIONAL ATTACHMENTS



077900952

Foam Cutting Tool- Paddle



077900955

Foam Cutting Tool- Hoe



HD700

Can be used on rim sizes 14"-26"



HD1400E

For demounting and mounting a wide range of wheels on trucks & Ag.
Max Tire Width (58"), Max Tire Dia (98.4")

HD BALANCERS



ET1680 TruckLine

Advanced touchscreen wheel balancer for truck and heavy-duty wheels, featuring precision balancing, integrated wheel lift, and faster, more efficient operation.

ADAS In Your Shop

Not sure where to start? We are here to help.

Thinking about ADAS?

Learn More About The
3 Biggest Concerns
Shop Owners Have
About ADAS.



When is ADAS Required?

Get our Practical
Guide for Tire &
Repair Shops.



AUTEL®



GENERAL
REPAIR



COLLISION
REPAIR



ADAS CALIBRATION
CENTERS



WHEEL & TIRE
DEALERS



AUTOMOTIVE
DEALERSHIPS



IA900

Diagnostics + Alignment + Calibration



IA1000

Automated ADAS Calibration & Wheel
Alignment System

*Ask about our packages available for your shop!



Wheel Alignment Scissor Lift Surface-Mounted Configuration

Available Capacities: 12K, 14K

800-621-1563

AUTEL
7

Geoliner® 660 Imaging Wheel Aligner



- With a self-centering design, the two-sided claws guarantee solid, swift gripping even over hub caps.
- Access the largest database in the market for alignment repair information in seconds from Mitchell1®.
- Using simple, easy-to-follow red and green LED lights, our patented Vehicle Orientation Directional Indicator (VODI) leads technicians through the measuring procedure while the monitor is not in view, decreasing the time spent moving back and forth between vehicle and aligner.
- Automatic height tracking follows the vehicle as it is raised and lowered on the lift, eliminating the need for manual readjustment of the camera and reducing time spent at the console.
- EZ-Toe: Turn the front wheels and access difficult adjustment points while still displaying centered toe readings.
- Cutting-edge high-definition video speed cameras continuously monitor the alignment process and instantly detect common environmental conditions or vehicle issues with the potential to cause misalignment.

Tire Changers

Monty® 8700 Superior Leverless Centerpost Tire Changer



- User friendly control panel
- Dynamic upper and lower bead breaker
- Pneumatic bead pusher with reverse- side hook to assist in lifting heavy tires
- Pneumatic Wheel Lift included
- Top Side Bead Seater

Monty® 3300 Tilt-Tower Rim- Clamping Tire Changer



- Nylon-covered jaws are self-centering and grip the wheel firmly for elevated stability and safety.
- A conventional side-shovel bead breaker, featuring an ergonomically positioned pedal control situated a small distance from the shovel, is the quickest solution for efficiently handling a range of tires.
- Includes the top roller, pressing foot and lifting disk to streamline the mounting and demounting of low-profile and high-performance tires, enabling a single technician to perform tasks with ease.
- Top Side Bead Seater

Wheel Balancers

Geodyna® 8200p Wheel Balancer with Non-Contact Data Entry



- Automatic data entry and spoke detection speed up the balancing process.
- Split Weight Mode conceals weights behind spokes for a cleaner appearance.
- EASYWEIGHT™ Laser guidance ensures precise weight placement.
- Match Mounting helps reduce weight requirements and improve balance.
- User-friendly touchscreen interface simplifies operation.

Geodyna® 980L Heavy-Duty Wheel Balancer



- Capability to handle Light Duty, Medium Duty, and Heavy Duty
- Heavy Duty Wheel Lift
- 2-D Data Entry: Technicians touch the rim with the gauge arm, and the system automatically enters the rim dimensions and selects appropriate weight-balancing mode.
- Includes passenger car cone kit and light truck cone kit

2-Post Lifts

- Exclusive Shockwave technology powers a 2x lifting speed compared to standard powered lifts.
- Accommodate ALL vehicle types with these high capacity 2-post lifts.



SPO16-AV



Rotary's revolutionary All-Vehicle AV Arms™, the NEW SPO16-AV offers shops industry-leading versatility, speed, and uptime. With customizable height and width options, this single lift offers everything your shop needs to service light and heavy-duty* vehicles within the rated capacity.

BP9



Available Capacities: 10K, 12K, 16K, 20K

4-Post Lifts

Investing in powerful vehicle lifts and reliable equipment helps you move through maintenance and repair tasks effortlessly. Rotary's 4-Post lift offerings use the highest-quality materials on the market so that you can impress your customers by tackling complex jobs more efficiently.

ARO14



SM14



Available Capacities: 14K, 18K, 25K, 30K

Pad Lift

VLXS10



- Dual lifting cylinders
- Non-slip deck padding provides surface for adapters or vehicle pick-up points
- Ramps and side drive-over areas accommodate wider wheelbases
- ALI Gold Certified
- Perfect for tire and brake work

Rotary 10,000 lbs. Low Rise Lift

ADVANTAGE SERIES



Model VR7F-8
7.5 HP
80 Gal. Vertical Tank
949 RPM
CFM Delivery: 22.3 CFM

Ask for other
size options &
configurations!

ENGINE DRIVEN R-SERIES



Model HGR7-3H
13 HP Honda Gas Engine

Model HGR7-3K
13 HP Kohler Gas Engine
30 Gal. Horizontal Tank
1,025 RPM
CFM Delivery: 23.2 CFM

Available in Honda or Kohler Engines

ADVANTAGE SERIES STANDARD FEATURES



- Electric timed drain
- Air-cooled aftercooler (select models)
- Vibration isolators
- Low-oil stop control
- Magnetic motor starter



AC Service Equipment



606AC1234-4

Robinair A/C Machine- Designed for R-1234yf Refrigerant Systems. Services both standard and hybrid vehicles.

Also Available:
606AC1234-9



60634788NI

Robinair A/C Machine

- Fully-Automatic Function: Program to recover, vacuum, leak test and charge without operating panel valves.
- Automatic Oil Drain: A display reminds you to empty the graduated container to show the amount of oil to replace.
- Oil Inject: Automatically inject oil back into the vehicle's A/C systems.



598ACX2280

1234F Refrigerant Handling System

- 7" capacitive touch screen and intuitive user interface
- iOS and Android capable phone app allows remote service session mirroring and advanced functions.
- Permanent, automatic wireless software updates, ensuring you always have the latest features.
- Offers remote support capabilities that allow MAHLE technicians to connect to a unit over WiFi for troubleshooting and advanced support.
- Integrated refrigerant identifier adds additional convenience and saves time on services.



ACX2180

134A Refrigerant Handling System

- Contains three transducers, providing reduced process times over dual sensor units.
- Best-in-class serviceability with a new ergonomic hinged service door simplifies unit service.
- Permanent wireless automatic software updates, ensuring you always have the latest features.
- Integrated UV dye injection provides high level of A/C system leak detection.
- Remote support allows MAHLE to connect to a unit over WiFi for troubleshooting and advanced support.

***We offer a full line of Robinair and Mahle A/C Machines.**

Maintenance



60613203

Robinair A/C Pump Oil (1 Qt.)



60634724

Robinair Recycling Filter-Drier



60616913

Robinair Replacement Refrigerant Identifier Filter



5980228017400

Oxygen Sensor



RUBBER-INC.

Providing Tire Service Solutions since 1939

rubber-inc.com

800-621-1563

equipment@rubber-inc.com

**Family-Owned and Operated
Nationwide Service**

Five Warehouses to Serve You

Illinois • Massachusetts • Missouri • North Carolina • Wisconsin